

POWERED BY

**TREW<sup>®</sup>**

# QUICK QUOTE CATALOG

## *SUPPORT MODULES*

Series 1500 - Mechanical



1.800.571.8739

[poweredbyTREW.com](http://poweredbyTREW.com)

[info@trewautomation.com](mailto:info@trewautomation.com)

Bridge Supports	1
Ceiling Supports	3
Heavy Duty Supports	7
Low Profile Supports	9
Multi Tier Supports	11
Standard Supports	13


# BRIDGE SUPPORTS

## SUPPORT MODULE - Series 1500

POWERED BY  
**TREW**®

Bridge supports provide sturdy support for conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design for strength and extra stability.

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*



### KEY FEATURES AND BENEFITS

- Bridge supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Welded construction boot design
- Vertical Adjustment
- Cross member for added strength and stability
- Hardware Included

# BRIDGE SUPPORTS

SUPPORT MODULE - Series 1500



SERIES 1500, BRIDGE SUPPORT ASSEMBLY	
QUICK QUOTE#	Description
S061501	15FT BRIDGE SUPPORT ASSEMBLY, 15IN BF
S062101	15FT BRIDGE SUPPORT ASSEMBLY, 21IN BF
S062401	15FT BRIDGE SUPPORT ASSEMBLY, 24IN BF
S062701	15FT BRIDGE SUPPORT ASSEMBLY, 27IN BF
S061502	20FT BRIDGE SUPPORT ASSEMBLY, 15IN BF
S062102	20FT BRIDGE SUPPORT ASSEMBLY, 21IN BF
S062402	20FT BRIDGE SUPPORT ASSEMBLY, 24IN BF
S062702	20FT BRIDGE SUPPORT ASSEMBLY, 27IN BF

# CEILING SUPPORTS

## SUPPORT MODULE - Series 1500

POWERED BY  
**TREW**®

Complete ceiling supports provide sturdy support for hanging conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design for strength and extra stability. ***Made up of Trapeze Assembly, Drop Assembly and C-Channel for Hanging Supports.***

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*



### KEY FEATURES AND BENEFITS



- Ceiling supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Vertical Adjustment
- Hardware Included

TRAPEZE ASSEMBLY
SUPPORT MODULE - Series 1500

POWERED BY

TREW®


Series 1500, Trapeze Assembly Includes Brackets	
QUICK QUOTE#	Description
S051501	Hanging Support, Trapeze Assembly, 15IN BF
S052101	Hanging Support, Trapeze Assembly, 21IN BF
S052401	Hanging Support, Trapeze Assembly, 24IN BF
S052701	Hanging Support, Trapeze Assembly, 27IN BF




# DROP ASSEMBLY

## SUPPORT MODULE - Series 1500

SERIES 1500, DROP ASSEMBLY, INCLUDES 2"X2" ANGLES, SPLICES, BOLT-ON BRACKETS, PLATES & THREADED ROD	
QUICK QUOTE#	Description
S050002	HANGING SUPPORT, 5FT DROP ASSEMBLY
S050003	HANGING SUPPORT, 10FT DROP ASSEMBLY
S050004	HANGING SUPPORT, 15FT DROP ASSEMBLY
S050005	HANGING SUPPORT, 20FT DROP ASSEMBLY
S050001	HANGING SUPPORT SPLICE BRACKET KIT



Series 1500, C-Channel for Hanging Support	
Quick Quote#	Description
S050006	C3 X 4.1 X 48 C Channel for Hanging Support
S050007	C3 X 4.1 X 96 C Channel for Hanging Support
S050008	C3 X 4.1 X 144 C Channel for Hanging Support
S050009	C3 X 4.1 X 240 C Channel for Hanging Support
S050010	C4 X 5.4 X 48, C Channel for Hanging Support
S050011	C4 X 5.4 X 96, C Channel for Hanging Support
S050012	C4 X 5.4 X 144, C Channel for Hanging Support
S050013	C4 X 5.4 X 180, C Channel for Hanging Support
S050014	C4 X 5.4 X 240, C Channel for Hanging Support






# HEAVY DUTY SUPPORTS

## SUPPORT MODULE - Series 1500

POWERED BY  
**TREW**®

Heavy duty supports provide sturdy support for conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design as well as an added cross member for strength and extra stability. Height adjustable legs and pivot plate mounts for greater flexibility and may be bolted to the floor.

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*



### KEY FEATURES AND BENEFITS

- Leg supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Vertical Adjustment
- Allows for floor anchoring
- Cross member for added strength and stability
- Hardware Included

# HEAVY DUTY SUPPORTS

## SUPPORT MODULE - Series 1500



SERIES 1500, HEAVY DUTY FLOOR SUPPORT BOLTED CONSTRUCTION	
QUICK QUOTE#	Description
S021501	HEAVY DUTY LEG SUPPORT ASSEMBLY (62IN-90IN TOS), 15IN BF
S022101	HEAVY DUTY LEG SUPPORT ASSEMBLY (62IN-90IN TOS), 21IN BF
S022401	HEAVY DUTY LEG SUPPORT ASSEMBLY (62IN-90IN TOS), 24IN BF
S022701	HEAVY DUTY LEG SUPPORT ASSEMBLY (62IN-90IN TOS), 27IN BF
S021502	HEAVY DUTY LEG SUPPORT ASSEMBLY (90IN-144IN TOS), 15IN BF
S022102	HEAVY DUTY LEG SUPPORT ASSEMBLY (90IN-144IN TOS), 21IN BF
S022402	HEAVY DUTY LEG SUPPORT ASSEMBLY (90IN-144IN TOS), 24IN BF
S022702	HEAVY DUTY LEG SUPPORT ASSEMBLY (90IN-144IN TOS), 27IN BF
S021503	HEAVY DUTY LEG SUPPORT ASSEMBLY (114IN-166IN TOS), 15IN BF
S022103	HEAVY DUTY LEG SUPPORT ASSEMBLY (114IN-166IN TOS), 21IN BF
S022403	HEAVY DUTY LEG SUPPORT ASSEMBLY (114IN-166IN TOS), 24IN BF
S022703	HEAVY DUTY LEG SUPPORT ASSEMBLY (114IN-166IN TOS), 27IN BF

# LOW PROFILE SUPPORTS




## SUPPORT MODULE - Series 1500

POWERED BY  
**TREW**®



Low profile supports provide sturdy support for conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design for strength and extra stability. Supports have height adjustable legs and may be bolted to floor.

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*

USE WHEN TOS IS < 3.5IN



USE WHEN TOS IS > 3.5IN < 11IN



## KEY FEATURES AND BENEFITS

- Low profile supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Welded construction boot design
- Vertical Adjustment
- Allows for floor anchoring
- Hardware Included

# LOW PROFILE SUPPORTS

## INTERMEDIATE MODULE - Series 1500

SERIES 1500, LOW PROFILE FLOOR SUPPORT BOLTED CONSTRUCTION, NO CROSS MEMBER	
QUICK QUOTE#	Description
S030001	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 11IN - 1IN TOS)
S031501	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 10IN - 13IN TOS), 15IN BF
S032101	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 10IN - 13IN TOS), 21IN BF
S032401	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 10IN - 13IN TOS), 24IN BF
S032701	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 10IN - 13IN TOS), 27IN BF



# MULTI TIER SUPPORTS

## SUPPORT MODULE - Series 1500

POWERED BY  
**TREW**®

Multi tier supports provide sturdy support for conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design for strength and extra stability. Height adjustable legs and for greater flexibility, and may be bolted to floor.

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*



### KEY FEATURES AND BENEFITS

- Multi tier supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Pivot plate easily adjusts
- Welded construction boot design
- Vertical Adjustment
- Allows for floor anchoring
- Cross member for added strength and stability
- Hardware Included

MULTI TIER SUPPORTS

SUPPORT MODULE - Series 1500

SERIES 1500, MULTI TIER SUPPORTS	
QUICK QUOTE#	Description
SO41501	MULTI-TIER FLOOR SUPPORT BOLTED CONSTRUCTION 15" BF, 1 3/16" CLEAR EACH SIDE, UPRIGHT 55"
SO42101	MULTI-TIER FLOOR SUPPORT BOLTED CONSTRUCTION 21" BF, 1 3/16" CLEAR EACH SIDE, UPRIGHT 55"
SO42401	MULTI-TIER FLOOR SUPPORT BOLTED CONSTRUCTION 24" BF, 1 3/16" CLEAR EACH SIDE, UPRIGHT 55"
SO42701	MULTI-TIER FLOOR SUPPORT BOLTED CONSTRUCTION 27" BF, 1 3/16 IN CLEAR EACH SIDE, UPRIGHT 55"


# STANDARD SUPPORTS

## SUPPORT MODULE - Series 1500


POWERED BY  
**TREW**®

Leg supports provide sturdy support for conveyor lines. Made of industrial strength welded and bolted steel, supports have a modular bolt together design as well as added cross member for strength and extra stability. Height adjustable legs and pivot plate mounts for greater flexibility, and may be bolted to floor.

*Use For Top Of Roller Below 5ft  
Max Load 1,500 lbs*



AA111-70A



### KEY FEATURES AND BENEFITS

- Leg supports are made of industrial strength welded and bolted steel
- Modular bolt together design
- Resilient and durable construction
- Pivot plate easily adjusts
- Welded construction boot design
- Vertical Adjustment
- Allows for floor anchoring
- Cross member for added strength and stability
- Hardware Included

Series 1500, Standard Duty Floor Support Bolted Construction	
QUICK QUOTE#	Description
S011501	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 12.75IN - 15.75IN TOS), 15IN BF
S012101	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 12.75IN - 15.75IN TOS), 21IN BF
S012401	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 12.75IN - 15.75IN TOS), 24IN BF
S012701	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 12.75IN - 15.75IN TOS), 27IN BF
S011502	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 15.75IN - 25IN TOS), 15IN BF
S012102	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 15.75IN - 25IN TOS), 21IN BF
S012402	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 15.75IN - 25IN TOS), 24IN BF
S012702	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 15.75IN - 25IN TOS), 27IN BF
S012403	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 20.25IN - 32.75IN TOS), 24IN BF
S012703	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 20.25IN - 32.75IN TOS), 27IN BF
S011504	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 31IN - 41.5IN TOS), 15IN BF
S012104	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 31IN - 41.5IN TOS), 21IN BF
S012404	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 31IN - 41.5IN TOS), 24IN BF
S012704	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 31IN - 41.5IN TOS), 27IN BF
S011505	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 39.75IN - 71.5IN TOS), 15IN BF
S012105	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 39.75IN - 71.5IN TOS), 21IN BF
S012405	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 39.75IN - 71.5IN TOS), 24IN BF
S012705	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 39.75IN - 71.5IN TOS), 27IN BF
S012403	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 20.25IN - 32.75IN TOS), 24IN BF
S012703	BOLTED LEG SUPPORT ASSEMBLY (MD SERIES, 20.25IN - 32.75IN TOS), 27IN BF