


POWERED BY

**TREW**

# QUICK QUOTE CATALOG

## *CONVEYOR MODULES*

Series 1500 - H-20 Auto Control - Interroll EC5000



1.800.571.8739

[poweredbyTREW.com](http://poweredbyTREW.com)

[info@trewautomation.com](mailto:info@trewautomation.com)

# TABLE OF CONTENTS

## CONVEYOR MODULES

### H-20 Auto Control - Interroll EC5000

POWERED BY

**TREW**

MDR Straight (RSL)	1
MDR Straight (RSH)	7
MDR Curve	13
MDR Merge	16
HCAT90	18
MDR Lift Gate	20
MDR Spur Curve	22
MDR Spur	24
HCAT30	26
Spiral Curve	28
MDR Spiral	30
Double Pick & Pass	33
Triple Pick & Pass	35
Gravity Roller Conveyor	37
Weight Scale	39
MDR Belted Horizontal 24" Zone	41
MDR Belted Decline 24" Zone	44
MDR Belted Incline 24" Zone	48
MDR Belted Horizontal 30" Zone	52
MDR Belted Decline 30" Zone	55
MDR Belted Incline 30" Zone	61
MDR Belted Horizontal 36" Zone	63
MDR Belted Decline 36" Zone	66
MDR Belted Incline 36" Zone	70

# MDR STRAIGHT (RSL)




## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR straight modules are available in the widths, lengths and zones you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54

# MDR STRAIGHT (RSL)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
MR15A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MR15A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MR21A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MR21A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
MR27A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
MR27A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
MR33A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
MR33A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
MR36A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
MR36A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
MR15A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MR15A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MR21A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MR21A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
MR27A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
MR27A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
MR33A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
MR33A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
MR36A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL
MR36A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

# MDR STRAIGHT (RSL)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
MR15A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MR15A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MR21A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MR21A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
MR27A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
MR27A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
MR33A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
MR33A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
MR36A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
MR36A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
MR15A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MR15A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MR21A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MR21A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
MR27A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
MR27A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
MR33A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
MR33A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
MR36A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
MR36A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

# MDR STRAIGHT (RSL)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
MR15B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MR15B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MR21B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MR21B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
MR27B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
MR15B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN LH, AUTO CONTROL
MR15B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN RH, AUTO CONTROL
MR21B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN LH, AUTO CONTROL
MR21B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN RH, AUTO CONTROL
MR27B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL



# MDR STRAIGHT (RSL)

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
MR15B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN LH, AUTO CONTROL
MR15B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN RH, AUTO CONTROL
MR21B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN LH, AUTO CONTROL
MR21B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN RH, AUTO CONTROL
MR27B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
MR15C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, AUTO CONTROL
MR15C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, AUTO CONTROL
MR21C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, AUTO CONTROL
MR21C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, AUTO CONTROL
MR27C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL

# MDR STRAIGHT (RSL)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
MR15C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, AUTO CONTROL
MR15C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, AUTO CONTROL
MR21C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, AUTO CONTROL
MR21C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, AUTO CONTROL
MR27C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
MR15C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, AUTO CONTROL
MR15C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, AUTO CONTROL
MR21C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, AUTO CONTROL
MR21C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, AUTO CONTROL
MR27C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, AUTO CONTROL
MR27C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, AUTO CONTROL
MR33C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, AUTO CONTROL
MR33C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, AUTO CONTROL
MR36C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, AUTO CONTROL
MR36C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, AUTO CONTROL



# MDR STRAIGHT (RSH)




## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR straight modules are available in the widths, lengths and zones you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54

# MDR STRAIGHT (RSH)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
HR15A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36A6LS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36A6RS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
HR15A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36A4LS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36A4RS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

# MDR STRAIGHT (RSH)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
HR15A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36A2LS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36A2RS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
HR15A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36A1LS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36A1RS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

# MDR STRAIGHT (RSH)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
HR15B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36B4LS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36B4RS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
HR15B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36B2LS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36B2RS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

# MDR STRAIGHT (RSH)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
HR15B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36B1LS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36B1RS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
HR15C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36C4LS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36C4RS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

# MDR STRAIGHT (RSH)

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
HR15C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36C2LS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36C2RS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
HR15C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH AUTO CONTROL
HR15C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH AUTO CONTROL
HR21C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH AUTO CONTROL
HR21C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH AUTO CONTROL
HR27C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, AUTO CONTROL
HR27C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, AUTO CONTROL
HR33C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, AUTO CONTROL
HR33C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, AUTO CONTROL
HR36C1LS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, AUTO CONTROL
HR36C1RS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, AUTO CONTROL



# MDR CURVE


## CURVE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR curve modules are available in widths and degrees you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 21:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Ultra Durable ribbed tapered roller design for maximum traction and longevity
- Built-in photo eye, one per zone
- Electrical components have quick connect terminals for easy installations and expansion
- ABEC rated precision bearings in the idler rollers
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54, Up to IP67 Rating

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC, SET LOW, 90 DEG CURVE STANDARDS 32.5" IR

<b>QUICK QUOTE#</b>	<b>Description</b>
CV1592LS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV1592RS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2192LS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2192RS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2792LS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2792RS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3392LS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3392RS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3692LS	90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2692RS	90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC, SET LOW, 60 DEG CURVE STANDARDS 32.5" IR

<b>QUICK QUOTE#</b>	<b>Description</b>
CV1561LS	60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV1561RS	60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2161LS	60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2161RS	60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2761LS	60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2761RS	60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3361LS	60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3361RS	60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3661LS	60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3661RS	60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC, SET LOW, 45 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1541LS	45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV1541RS	45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2141LS	45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2141RS	45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2741LS	45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2741RS	45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3341LS	45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3341RS	45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3641LS	45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3641RS	45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC, SET LOW, 30 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1530LS	30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV1530RS	30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2130LS	30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2130RS	30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV2730LS	30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV2730RS	30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3330LS	30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3330RS	30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL
CV3630LS	30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH AUTO CONTROL
CV3630RS	30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH AUTO CONTROL

# MDR MERGE


## MERGE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR merge modules provide a 30° spur for merging. It attaches to a machine conveyor to achieve a high-rate of 40 cases per min. The units are modular and come preassembled as one unit (both spur and mainline). Built in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are prewired. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



### KEY FEATURES AND BENEFITS

- Merge Rate up to 40 cases per minute
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

# MDR MERGE

## MERGE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, AUTO, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L

QUICK QUOTE#	Description
MG15B3FS	90IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
MG15B3ES	90IN MERGE FROM LEFT, 30DEG, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
MG21B3FS	90IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
MG21B3ES	90IN MERGE FROM LEFT, 30DEG, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, AUTO, 24 VOLT DC SET LOW 36IN ZONE MERGE STANDARDS 108IN L

QUICK QUOTE#	Description
MG27C3FS	108IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
MG27C3ES	108IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, AUTO, 24 VOLT DC SET LOW 36IN ZONE MERGE STANDARDS 144IN L

QUICK QUOTE#	Description
MG33B3FS	144IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
MG33B3ES	144IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
MG36B3FS	144IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
MG36B3ES	144IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL



# HCAT90



## TRANSFER MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

HCAT90 transfer modules provide a 90° right angle transfer for sortation, distribution or assembly applications. It is powered by 24 volt DC electricity, with rates up to 40 products/min. The HCAT90 utilizes one MDR and two Geared Motors to provide motion of the rollers, belts, and lifting. There is no electric actuator or pneumatic cylinder reducing overall project cost and installation effort.

**Minimum Product Size 9" X 9"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**Timing Belt**



## KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Standard to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable Timing Belts
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard, Up to IP67
- Positive Drive, O-Band
- Programming Required



# HCAT90

## TRANSFER MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, STANDARD TO MED DUTY, AUTO, ZPA, AUTO, 24 V DC 30IN ZONE 90 DEG HCAT TRANSFER HCAT90

QUICK QUOTE#	Description
HT15B1FS	HCAT90, SERIES 1500, 30IN ZONE, 15IN BF, 14IN OAH, LH AUTO CONTROL
HT15B1ES	HCAT90, SERIES 1500, 30IN ZONE, 15IN BF, 14IN OAH, RH AUTO CONTROL
HT21B1FS	HCAT90, SERIES 1500, 30IN ZONE, 21IN BF, 14IN OAH, LH AUTO CONTROL
HT21B1ES	HCAT90, SERIES 1500, 30IN ZONE, 21IN BF, 14IN OAH, RH AUTO CONTROL
HT27B1FS	HCAT90, SERIES 1500, 30IN ZONE, 27IN BF, 14IN OAH, LH AUTO CONTROL
HT27B1ES	HCAT90, SERIES 1500, 30IN ZONE, 27IN BF, 14IN OAH, RH AUTO CONTROL
HT33B1FS	HCAT90, SERIES 1500, 30IN ZONE, 33IN BF, 14IN OAH, LH AUTO CONTROL
HT33B1ES	HCAT90, SERIES 1500, 30IN ZONE, 33IN BF, 14IN OAH, RH AUTO CONTROL
HT36B1FS	HCAT90, SERIES 1500, 30IN ZONE, 36IN BF, 14IN OAH, LH AUTO CONTROL
HT36B1ES	HCAT90, SERIES 1500, 30IN ZONE, 36IN BF, 14IN OAH, RH AUTO CONTROL

### SERIES 1500, STANDARD TO MED DUTY, AUTO, ZPA, AUTO, 24 V DC 36IN ZONE 90 DEG HCAT TRANSFER HCAT90

QUICK QUOTE#	Description
HT15C1FS	HCAT90, SERIES 1500, 36IN ZONE, 15IN BF, 14IN OAH, LH AUTO CONTROL
HT15C1ES	HCAT90, SERIES 1500, 36IN ZONE, 15IN BF, 14IN OAH, RH AUTO CONTROL
HT21C1FS	HCAT90, SERIES 1500, 36IN ZONE, 21IN BF, 14IN OAH, LH AUTO CONTROL
HT21C1ES	HCAT90, SERIES 1500, 36IN ZONE, 21IN BF, 14IN OAH, RH AUTO CONTROL
HT27C1FS	HCAT90, SERIES 1500, 36IN ZONE, 27IN BF, 14IN OAH, LH AUTO CONTROL
HT27C1ES	HCAT90, SERIES 1500, 36IN ZONE, 27IN BF, 14IN OAH, RH AUTO CONTROL
HT33C1FS	HCAT90, SERIES 1500, 36IN ZONE, 33IN BF, 14IN OAH, LH AUTO CONTROL
HT33C1ES	HCAT90, SERIES 1500, 36IN ZONE, 33IN BF, 14IN OAH, RH AUTO CONTROL
HT36C1FS	HCAT90, SERIES 1500, 36IN ZONE, 36IN BF, 14IN OAH, LH AUTO CONTROL
HT36C1ES	HCAT90, SERIES 1500, 36IN ZONE, 36IN BF, 14IN OAH, RH AUTO CONTROL

# MDR LIFT GATE




## GATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR lift gate modules provide safe egress breaks in the conveyor line that are strategically placed for pedestrian or push cart traffic. Typical gates consist of a 36" pivot bed with 12" tangents; adding a clear distance for a walk way. Other sizes and swing gates are available upon request. All lift gates come with gas springs to assist the user in moving the gate up or down. Pre-wired conveyor sections are networked with a variety of technologies and are easily configured for multiple applications.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Provides safe egress break in the conveyor line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

# LIFT GATE

## GATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, MDR GATE, AUTO I/O + OCTO 24 36" GATE ARM

QUICK QUOTE#	Description
GT15LOFS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
GT15LOES	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
GT21LOFS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
GT21LOES	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
GT27LOFS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
GT27LOES	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
GT33LOFS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
GT33LOES	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
GT36LOFS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
GT36LOES	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, 0 ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, MDR GATE, AUTO I/O + OCTO 24 48" GATE ARM

QUICK QUOTE#	Description
GT15MOFS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
GT15MOES	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
GT21MOFS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
GT21MOES	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL
GT27MOFS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
GT27MOES	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
GT33MOFS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
GT33MOES	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
GT36MOFS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
GT36MOES	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, 0 ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

# MDR SPUR CURVE


## MERGE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR spur curve modules deliver a convenient solution for consolidation applications and have a 90° spur for tighter footprints. Built in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are prewired and protected from product. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Merge any line that is not perpendicular to the trunk line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

# MDR SPUR CURVE

## MERGE MODULE - Series 1500

SERIES 1500, LIGHT GOODS, AUTO, ZPA, AUTO, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L	
QUICK QUOTE#	Description
SC1591FS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 15IN BF, RSL 7.5IN, MERGE FROM RH, LH AUTO CONTROL
SC1591ES	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 15IN BF, RSL, MERGE FROM LEFT, RH AUTO CONTROL
SC2191FS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 21IN BF, RSL 7.5IN, MERGE FROM RH, LH AUTO CONTROL
SC2191ES	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 21IN BF, RSL, MERGE FROM LEFT, RH AUTO CONTROL
SC2791FS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 27IN BF, RSL, MERGE FROM RH, LH AUTO CONTROL
SC2791ES	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 27IN BF, RSL, MERGE FROM LEFT, RH AUTO CONTROL
SC3391FS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 33IN BF, RSL, MERGE FROM RH, LH AUTO CONTROL
SC3391ES	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 33IN BF, RSL, MERGE FROM LEFT, RH AUTO CONTROL
SC3691FS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 36IN BF, RSL, MERGE FROM RH, LH AUTO CONTROL
SC3691ES	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 36IN BF, RSL, MERGE FROM LEFT, RH AUTO CONTROL

# MDR SPUR


## MERGE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR spur modules are a 30° or 45° spur that can be placed nearly anywhere on a new or preexisting system. Built-in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are prewired and protected from product. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.

*Minimum Product Size 8" X 8"*  
*Up to 180 FPM*  
*Gear Ratio 18:1*  
*Up to 75 lbs*  
*O-Band*



### KEY FEATURES AND BENEFITS

- Merge any line that is not perpendicular to the trunk line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard



MDR SPUR

MERGE MODULE - Series 1500



SERIES 1500, LIGHT GOODS, AUTO, ZPA, AUTO, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L	
QUICK QUOTE#	Description
SU15B3ES	SPUR, 30DEG, SERIES 1500, 15IN BF, RSL, MERGE FROM LEFT, LH AUTO CONTROL
SU15B3FS	SPUR, 30DEG, SERIES 1500, 15IN BF, RSL, MERGE FROM RIGHT, RH AUTO CONTROL
SU21B3ES	SPUR, 30DEG, SERIES 1500, 21IN BF, RSL, MERGE FROM LEFT, LH AUTO CONTROL
SU21B3FS	SPUR, 30DEG, SERIES 1500, 21IN BF, RSL, MERGE FROM RIGHT, RH AUTO CONTROL
SU27B3ES	SPUR, 30DEG, SERIES 1500, 27IN BF, RSL, MERGE FROM LEFT, LH AUTO CONTROL
SU27B3FS	SPUR, 30DEG, SERIES 1500, 27IN BF, RSL, MERGE FROM RIGHT, RH AUTO CONTROL
SU33B3ES	SPUR, 30DEG, SERIES 1500, 33IN BF, RSL, MERGE FROM LEFT, LH AUTO CONTROL
SU33B3FS	SPUR, 30DEG, SERIES 1500, 33IN BF, RSL, MERGE FROM RIGHT, RH AUTO CONTROL
SU36B3ES	SPUR, 30DEG, SERIES 1500, 36IN BF, RSL, MERGE FROM LEFT, LH AUTO CONTROL
SU36B3FS	SPUR, 30DEG, SERIES 1500, 36IN BF, RSL, MERGE FROM RIGHT, RH AUTO CONTROL

POWERED BY  
**TREW**

**Minimum Product Size 7" X 7"**  
**Up to 180 FPM**  
**Gear Ratio 18:1**  
**Up to 75 lbs**  
**O-Band**



- Rate up to 50 products per min (Conditional on Application)
- Standard to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Electrical components have quick connect terminals for easy installations and expansion

- 26

# HCAT30

## DIVERTER MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, STANDARD GOODS, AUTO, ZPA, AUTO, 24 V DC 30IN ZONE 30 DEG POP-UP DIVERT HCAT30 90IN L

QUICK QUOTE#	Description
HD15B3F5S	90IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH AUTO CONTROL
HD15B3E5S	90IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH AUTO CONTROL
HD21B3F5S	90IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH AUTO CONTROL
HD21B3E5S	90IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH AUTO CONTROL

### SERIES 1500, STANDARD GOODS, AUTO, ZPA, AUTO, 24 V DC 30IN ZONE 30 DEG POP-UP DIVERT HCAT30 120IN L

QUICK QUOTE#	Description
HD27B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH AUTO CONTROL
HD27B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH AUTO CONTROL
HD33B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH AUTO CONTROL
HD33B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH AUTO CONTROL
HD36B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH AUTO CONTROL
HD36B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH AUTO CONTROL

# SPIRAL CURVE




## CURVE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

Spiral curve modules can be used as a stand-alone elevation change or combine together to create an inclining or declining spiral, which allows for an elevation change in a small footprint. The pre-wired spiral curve module has built-in zero pressure accumulation and can be networked with bus technology, which enables custom control and fully visible diagnostics. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 21:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Use as a stand-alone elevation change or combine together to create an inclining or declining spiral
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

Series 1500, ZPA Spiral Curve Standards, 90deg Incline	
Quick Quote#	Description
IS1592LS	90deg Spiral Curve, Series 1500, 15in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline, RH Curve, CW, LH Auto Control
IS1592RS	90deg Curve, Series 1500, 15in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, LH Curve, CCW, RH Auto Control
IS2192LS	90deg Curve, Series 1500, 21in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, RH Curve, CW, LH Auto Control
IS2192RS	90deg Curve, Series 1500, 21in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, LH Curve, CCW, RH Auto Control
IS2792LS	90deg Curve, Series 1500, 27in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, RH Curve, CW, LH Auto Control
IS2792RS	90deg Curve, Series 1500, 27in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, LH Curve, CCW, RH Auto Control
IS3392LS	90deg Curve, Series 1500, 33in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, RH Curve, CW, LH Auto Control
IS3392RS	90deg Curve, Series 1500, 33in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Incline Spiral, LH Curve, CCW, RH Auto Control
Series 1500, ZPA Spiral Curve Standards, 90deg Decline	
Quick Quote#	Description
DS1592LS	90deg Curve, Series 1500, 15in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, RH Curve, CW, LH Auto Control
DS1592RS	90deg Curve, Series 1500, 15in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, LH Curve, CCW, RH Auto Control
DS2192LS	90deg Curve, Series 1500, 21in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, RH Curve, CW, LH Auto Control
DS2192RS	90deg Curve, Series 1500, 21in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, LH Curve, CCW, RH Auto Control
DS2792LS	90deg Curve, Series 1500, 27in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, RH Curve, CW, LH Auto Control
DS2792RS	90deg Curve, Series 1500, 27in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, LH Curve, CCW, RH Auto Control
DS3392LS	90deg Curve, Series 1500, 33in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, RH Curve, CW, LH Auto Control
DS3392RS	90deg Curve, Series 1500, 33in BF, RSL 7.5in, 2 Zone, 32.5IR, 9in Elevation Change, Decline Spiral, LH Curve, CCW, RH Auto Control

# MDR SPIRAL


## SPIRAL MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR spirals enable major elevation change in a small footprint. This allows height differences to be bridged while retaining a smooth flow of product. Built-in zero pressure accumulation (ZPA) and polyurethane sleeves on the rollers come standard. The modules are also reversible. Pre-wired modules can be networked with bus technology, which enables custom control and fully visible diagnostics. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 180 FPM**  
**Gear Ratio 21:1**  
**Up to 75 lbs**  
**O-Band**



## KEY FEATURES AND BENEFITS

- Enable major elevation change in a small footprint
- Light to medium weight applications up to 75 lbs
- Ships In Manageable Sections For Easy Transportation
- Modular Design Allows For Easy Expansion
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- IP54 Standard



### SERIES 1500 INCLINE SPIRAL 48IN TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, AUTO

QUICK QUOTE#	Description
IS15T1LS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS15T1RS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS21T1LS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS21T1RS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS27T1LS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS27T1RS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS33T1LS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS33T1RS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL

### SERIES 1500 DECLINE SPIRAL 48IN TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, AUTO

QUICK QUOTE#	Description
DS15T1LS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS15T1RS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS21T1LS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS21T1RS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS27T1LS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS27T1RS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS33T1LS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS33T1RS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL

### SERIES 1500 INCLINE SPIRAL BASE TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, AUTO

QUICK QUOTE#	Description
IS15B1LS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS15B1RS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS21B1LS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS21B1RS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS27B1LS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS27B1RS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
IS33B1LS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
IS33B1RS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL

### SERIES 1500 DECLINE SPIRAL BASE TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, AUTO

QUICK QUOTE#	Description
DS15B1LS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS15B1RS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS21B1LS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS21B1RS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS27B1LS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS27B1RS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL
DS33B1LS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH AUTO CONTROL
DS33B1RS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH AUTO CONTROL

# DOUBLE PICK & PASS



## TRANSFER MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

We help automate traditional pick and pass transfer applications with our new HCAT90 transfer unit design. The MDR double pick and pass transfer module can reach 40 cartons per minute (CPM). This system can route cartons or totes to zones that require picking, getting product to every operator without stopping. It is fast and efficient, perfect for pick-to-light or voice-pick systems.

*Minimum Product Size 9" X 9"*  
*Up to 180 FPM*  
*Gear Ratio 18:1*  
*Up to 75 lbs*  
*Poly V*



## KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension Poly V belt
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Postive Drive, Poly V
- Programming Required

# DOUBLE PICK & PASS

## TRANSFER MODULE - Series 1500

### SERIES 1500, HCAT TRANSFER DOUBLE PICK & PASS ASSEMBLY W/ TRANSFERS 30IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
HT15B2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 15IN BF, 6IN GAP, AUTO CONTROL
HT21B2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 21IN BF, 6IN GAP, AUTO CONTROL
HT27B2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 27IN BF, 6IN GAP, AUTO CONTROL
HT33B2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 33IN BF, 6IN GAP, AUTO CONTROL
HT36B2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 36IN BF, 6IN GAP, AUTO CONTROL

### SERIES 1500, HCAT TRANSFER DOUBLE PICK & PASS ASSEMBLY W/ TRANSFERS 36IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
HT15C2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 15IN BF, 6IN GAP, AUTO CONTROL
HT21C2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 21IN BF, 6IN GAP, AUTO CONTROL
HT27C2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 27IN BF, 6IN GAP, AUTO CONTROL
HT33C2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 33IN BF, 6IN GAP, AUTO CONTROL
HT36C2BS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 36IN BF, 6IN GAP, AUTO CONTROL

# TRIPLE PICK & PASS



## TRANSFER MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

We help automate traditional pick and pass transfer applications with our new HCAT90 transfer unit design. The MDR triple pick and pass Transfer module can reach 40 cartons per minute (CPM). This system can route cartons or totes to zones that require picking, getting product to every operator without stopping. It is fast and efficient, perfect for pick-to-light or voice-pick systems.

*Minimum Product Size 9" X 9"*  
*Up to 180 FPM*  
*Gear Ratio 18:1*  
*Up to 75 lbs*  
*Poly V*



## KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension Poly V belt
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Positive Drive, Poly V
- Programming Required

# TRIPLE PICK AND PASS

## TRANSFER MODULE - Series 1500



SERIES 1500, HCAT TRANSFER TRIPLE PICK & PASS ASSEMBLY W/ TRANSFERS 30IN ZONE	
QUICK QUOTE#	Description
HT15B3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 15IN BF, 6IN GAP, AUTO CONTROL
HT21B3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 21IN BF, 6IN GAP, AUTO CONTROL
HT27B2BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 27IN BF, 6IN GAP, AUTO CONTROL
HT33B3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 33IN BF, 6IN GAP, AUTO CONTROL
HT36B3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 36IN BF, 6IN GAP, AUTO CONTROL
SERIES 1500, HCAT TRANSFER TRIPLE PICK & PASS ASSEMBLY W/ TRANSFERS 36IN ZONE	
QUICK QUOTE#	Description
HT15C3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 15IN BF, 6IN GAP, AUTO CONTROL
HT21C3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 21IN BF, 6IN GAP, AUTO CONTROL
HT27B2BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 27IN BF, 6IN GAP, AUTO CONTROL
HT33C3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 33IN BF, 6IN GAP, AUTO CONTROL
HT36C3BS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 36IN BF, 6IN GAP, AUTO CONTROL



# GRAVITY ROLLER CONVEYOR

## INTERMEDIATE MODULE - Series 1500

### NON-POWERED

POWERED BY  
**TREW**

Gravity roller straight modules are your most cost-effective solution for warehousing, loading, package sorting, and assembly or kitting application. These conveyors are designed with return downward flange for improved appearance, comfort and operator safety. The gravity roller conveyor is one of the most common pieces of equipment found in distribution centers and warehouses.

*Minimum Product Size 8" X 8"  
Up to 200 lbs*



### KEY FEATURES AND BENEFITS

- Light to Medium weight applications up to 200 lbs
- Efficient conveying with minimal pitch
- Non-powered conveyor
- Perfect for distribution, packing, manufacturing, and picking
- Manually convey light to medium duty loads with flat bottoms
- Side rail designed with a smooth flange down for operator comfort and safety
- Easy access and removal of product from both sides
- Operating with spring loaded rollers for easy removal and replacement
- 1200 lbs Maximum Load per 120IN Intermediate with supports on 10FT centers

# GRAVITY ROLLER CONVEYOR

## INTERMEDIATE MODULE - Series 1500

SERIES 1500, LIGHT TO MEDIUM GOODS, NON POWER SET HIGH INTERMEDIATE STANDARDS 120IN L	
QUICK QUOTE#	Description
GR15DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 15" BF, RSH 3.5IN, FLANGE DOWN
GR21DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 21" BF, RSH 3.5IN, FLANGE DOWN
GR27DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 27" BF, RSH 3.5IN, FLANGE DOWN
GR33DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 33" BF, RSH 3.5IN, FLANGE DOWN
GR36DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 36" BF, RSH 3.5IN, FLANGE DOWN
SERIES 1500, LIGHT TO MEDIUM GOODS, NON POWER SET HIGH INTERMEDIATE STANDARDS 60IN L	
QUICK QUOTE#	Description
GR15BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 15" BF, RSH 3.5IN, FLANGE DOWN
GR21BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 21" BF, RSH 3.5IN, FLANGE DOWN
GR27BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 27" BF, RSH 3.5IN, FLANGE DOWN
GR33BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 33" BF, RSH 3.5IN, FLANGE DOWN
GR36BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 36" BF, RSH 3.5IN, FLANGE DOWN

# MDR BELTED HORIZONTAL 24" ZONE




## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

*Minimum Product Size 8" X 8"*  
*Up to 150 FPM*  
*Gear Ratio 21:1*  
*Up to 50 lbs*



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED HORIZONTAL 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
FS15A2LS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS15A2RS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS21A2LS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS21A2RS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS27A2LS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS27A2RS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS33A2LS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS33A2RS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS36A2LS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS36A2RS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
FS15A1LS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS15A1RS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS21A1LS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS21A1RS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS27A1LS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS27A1RS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS33A1LS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS33A1RS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS36A1LS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS36A1RS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED HORIZONTAL 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FS15A6LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS15A6RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS21A6LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS21A6RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS27A6LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS27A6RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS33A6LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS33A6RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS36A6LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS36A6RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FS15A4LS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS15A4RS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS21A4LS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS21A4RS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS27A4LS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS27A4RS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS33A4LS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS33A4RS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FS36A4LS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FS36A4RS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Decline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning



# MDR BELTED DECLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FD15A6LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15A6RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21A6LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21A6RS	144IN INTERMEDIATE,DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27A6LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27A6RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33A6LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33A6RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36A6LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36A6RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FD15A4LS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15A4RS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21A4LS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21A4RS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27A4LS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27A4RS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33A4LS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33A4RS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36A4LS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36A4RS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
FD15A2LS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15A2RS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21A2LS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21A2RS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27A2LS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27A2RS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33A2LS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33A2RS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36A2LS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36A2RS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
FD15A1LS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15A1RS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21A1LS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21A1RS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27A1LS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27A1RS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33A1LS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33A1RS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36A1LS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36A1RS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 24IN ZONE	
QUICK QUOTE#	Description
FN15A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL
SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC POWER FEEDER 24IN ZONE	
QUICK QUOTE#	Description
FN15A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

# MDR BELTED INCLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Incline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED INCLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FI15A6LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15A6RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21A6LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21A6RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27A6LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27A6RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33A6LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33A6RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36A6LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36A6RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
FI15A4LS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15A4RS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21A4LS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21A4RS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27A4LS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27A4RS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33A4LS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33A4RS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36A4LS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36A4RS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED INCLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15A2LS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15A2RS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21A2LS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21A2RS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27A2LS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27A2RS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33A2LS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33A2RS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36A2LS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36A2RS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15A1LS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15A1RS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21A1LS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21A1RS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27A1LS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27A1RS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33A1LS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33A1RS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36A1LS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36A1RS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL



# MDR BELTED INCLINE 24" ZONE

## INTERMEDIATE MODULE - Series 1500

SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 24IN ZONE	
<b>QUICK QUOTE#</b>	<b>Description</b>
FN15A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL
SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC POWER FEEDER 24IN ZONE	
<b>QUICK QUOTE#</b>	<b>Description</b>
FN15A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

# MDR BELTED HORIZONTAL 30" ZONE



## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

*Minimum Product Size 8" X 8"*  
*Up to 150 FPM*  
*Gear Ratio 21:1*  
*Up to 50 lbs*



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED HORIZONTAL 30" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
FD15B4LS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B4RS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B4LS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B4RS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B4LS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B4RS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B4LS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B4RS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B4LS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B4RS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
FD15B2LS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B2RS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B2LS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B2RS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B2LS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B2RS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B2LS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B2RS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B2LS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B2RS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

MDR BELTED HORIZONTAL 30” ZONE  
INTERMEDIATE MODULE - Series 1500



SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L	
QUICK QUOTE#	Description
FD15B1LS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B1RS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B1LS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B1RS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B1LS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B1RS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B1LS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B1RS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B1LS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B1RS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Decline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED DECLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
FD15B4LS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B4RS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B4LS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B4RS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B4LS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B4RS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B4LS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B4RS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B4LS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B4RS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
FD15B2LS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B2RS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B2LS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B2RS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B2LS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B2RS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B2LS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B2RS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B2LS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B2RS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL



# MDR BELTED DECLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FD15B1LS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15B1RS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21B1LS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21B1RS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27B1LS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27B1RS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33B1LS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33B1RS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36B1LS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36B1RS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 30IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
FN15B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

MDR BELTED DECLINE 30” ZONE  
INTERMEDIATE MODULE - Series 1500



SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC POWER FEEDER 30IN ZONE	
QUICK QUOTE#	Description
FN15B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

# MDR BELTED INCLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Incline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED INCLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15B4LS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15B4RS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21B4LS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21B4RS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27B4LS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27B4RS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33B4LS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33B4RS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36B4LS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36B4RS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15B2LS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15B2RS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21B2LS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21B2RS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27B2LS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27B2RS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33B2LS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33B2RS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36B2LS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36B2RS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED INCLINE 30" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15B1LS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15B1RS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21B1LS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21B1RS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27B1LS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27B1RS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33B1LS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33B1RS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36B1LS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36B1RS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 30IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
FN15B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

MDR BELTED INCLINE 30” ZONE

INTERMEDIATE MODULE - Series 1500

Series 1500, Light Goods, Auto, ZPA, 24 Volt DC Power Feeder 30in Zone	
Quick Quote#	Description
FN15B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL



# MDR BELTED HORIZONTAL 36" ZONE



## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted Horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

*Minimum Product Size 8" X 8"*  
*Up to 150 FPM*  
*Gear Ratio 21:1*  
*Up to 50 lbs*



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED HORIZONTAL 36" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FD15C4LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C4RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C4LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C4RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C4LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C4RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C4LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C4RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C4LS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C4RS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
FD15C2LS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C2RS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C2LS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C2RS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C2LS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C2RS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C2LS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C2RS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C2LS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C2RS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

MDR BELTED HORIZONTAL 36” ZONE  
INTERMEDIATE MODULE - Series 1500



SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L	
QUICK QUOTE#	Description
FD15C1LS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C1RS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C1LS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C1RS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C1LS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C1RS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C1LS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C1RS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C1LS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C1RS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications, small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Decline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED DECLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FD15C4LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C4RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C4LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C4RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C4LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C4RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C4LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C4RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C4LS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C4RS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
FD15C2LS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C2RS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C2LS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C2RS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C2LS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C2RS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C2LS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C2RS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C2LS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C2RS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED DECLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FD15C1LS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD15C1RS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD21C1LS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD21C1RS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD27C1LS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD27C1RS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD33C1LS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD33C1RS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FD36C1LS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FD36C1RS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 36IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
FN15C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL



MDR BELTED DECLINE 36” ZONE

INTERMEDIATE MODULE - Series 1500

Series 1500, Light Goods, Auto, ZPA, 24 Volt DC Power Feeder 36in Zone	
Quick Quote#	Description
FN15C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

# MDR BELTED INCLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Auto Control

POWERED BY  
**TREW**

MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications, small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

**Minimum Product Size 8" X 8"**  
**Up to 150 FPM**  
**Gear Ratio 21:1**  
**Up to 50 lbs**

Up to a 15 Degree Incline



## KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

# MDR BELTED INCLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15C4LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15C4RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21C4LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21C4RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27C4LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27C4RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33C4LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33C4RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36C4LS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36C4RS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15C2LS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15C2RS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21C2LS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21C2RS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27C2LS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27C2RS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33C2LS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33C2RS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36C2LS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36C2RS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

# MDR BELTED INCLINE 36" ZONE

## INTERMEDIATE MODULE - Series 1500

POWERED BY  
**TREW**

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

<b>QUICK QUOTE#</b>	<b>Description</b>
FI15C1LS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI15C1RS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI21C1LS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI21C1RS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI27C1LS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI27C1RS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI33C1LS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI33C1RS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, AUTO CONTROL
FI36C1LS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, AUTO CONTROL
FI36C1RS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, AUTO CONTROL

### SERIES 1500, LIGHT GOODS, AUTO, ZPA, 24 VOLT DC NOSE OVER 36IN ZONE

<b>QUICK QUOTE#</b>	<b>Description</b>
FN15C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL

MDR BELTED INCLINE 36” ZONE

INTERMEDIATE MODULE - Series 1500

Series 1500, Light Goods, Auto, ZPA, 24 Volt DC Power Feeder 36in Zone	
Quick Quote#	Description
FN15C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, AUTO CONTROL
FN15C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, AUTO CONTROL
FN21C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, AUTO CONTROL
FN21C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, AUTO CONTROL
FN27C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, AUTO CONTROL
FN27C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, RH, AUTO CONTROL
FN33C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, AUTO CONTROL
FN33C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, AUTO CONTROL
FN36C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, AUTO CONTROL
FN36C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, AUTO CONTROL