

MDR CURVE




CURVE MODULE - Series 1500

Controls Platform: H-20 Full Control

POWERED BY
TREW

MDR curve modules are available in widths and degrees you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.

Minimum Product Size 6" X 4"
Up to 180 FPM
Gear Ratio 21:1
Up to 75 lbs
O-Band



KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Ultra Durable ribbed tapered roller design for maximum traction and longevity
- Standard IP54, Up to IP67 Rating
- Built-in photo eye, one per zone
- Electrical components have quick connect terminals for easy installations and expansion
- ABEC rated precision bearings in the idler rollers
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- 3" roller centers standard, 2" roller centers for small product applications

SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 90 DEG CURVE STANDARDS 32.5" IR

| <i>Description</i> |
|---|
| 90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |

SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 60 DEG CURVE STANDARDS 32.5" IR

| <i>Description</i> |
|---|
| 60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |

SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 45 DEG CURVE STANDARDS 32.5" IR

| <i>Description</i> |
|---|
| 45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |

SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 30 DEG CURVE STANDARDS 32.5" IR

| <i>Description</i> |
|---|
| 30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL |
| 30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL |